



TOOL CART 2 Tray

Part No. K7073

OPERATION MANUAL

TRAY LOAD LIMIT: 45kg
TOTAL LOAD LIMIT: 90kg



⚠ IMPORTANT:

THIS OPERATING MANUAL CONTAINS IMPORTANT SAFETY INFORMATION. READ CAREFULLY AND UNDERSTAND ALL INFORMATION BEFORE OPERATING TOOL. SAVE THIS MANUAL FOR FUTURE USE.

PARTS LIST



4 x Uprights

2 x Shelves


1 x Base Shelf



Nut & Screw Assembly Pack



Castor & Bolt Pack




4 x Castors



1 x Trolley Handle

TOOLS NEEDED



No 3 Screwdriver



10mm Spanner



12mm Spanner

OR



5mm Hex Key

ASSEMBLY INSTRUCTIONS

Step 1: Remove all contents from carton and reference the parts list ensuring you have all the parts

Step 2: Starting with the base shelf attach each vertical upright using the supplied screws and nuts

NOTE: Do not fully tighten screws until unit is assembled



Step 3: Repeat Step for the top shelf

Step 4: Tension all screws ensuring they are tight

Step 5: Carefully lie the Cart on its side and fit the 4 swivel castors using the bolts and washers provided ensuring they are tightly fastened.

NOTE: Install the two locking castors on the same side so they can be easily accessed, we suggest fitting both to the handle side of the cart.

Step 6: Stand Cart back on the castors and fit side handle using the bolts provided.



SPARE PARTS



REPLACEMENT PARTS

ITEM	PART NO.	DESCRIPTION	QUANTITY
1	K7073-1	Handle & Bolt Pack	1
2	K7073-2	Castor Pack	1
3	K7073-3	Nut & Bolt Assembly Pack	1

Caution: Take Safety Precautions When Using Your Toolbox

